

## Exhibit A to Opinion Letter



Detachable Magazine Release Button as utilized on Colt AR15 rifles

The ComGraf CGAR15FM Model has no milled slot (on the other side) or release button counter bore in the lower receiver for the magazine release hardware needed for detachably removing a magazine. Accordingly, there is nothing which would allow a magazine to be retained or easily detached with this rifle.



This view shows the left side of the ComGraf fixed magazine lower receiver with no cut-out for the magazine retention bar. It instead has a special hole for a screw which captures a blind nut to fix the magazine in place.

This Sporter Competition Pre-Ban AR, which has the standard system for retaining a detachable magazine, is shown with the Magazine Release slot. Without this milled slot, this necessary part from a normal AR15 for detachably retaining a magazine could not be installed into the ComGraf rifle.



Attempts to insert a curved high capacity magazine into the ComGraf lower receiver were not successful from either the top or the bottom of the receiver as the magazine well geometry has been changed. And, additionally, there is no provision for any of the parts which retain a detachable magazine as the ComGraf lower receiver uses a completely different blind nut assembly to affix the magazine, which nut requires disassembly tools to remove.



This picture illustrates a 10-round magazine removed from the rifle for cleaning showing the number of special removal tools, including an assembly rod, that were used for removal of the fixed magazine. The process of removing the magazine for cleaning took me around 5 minutes and then it took a few more minutes to re-insert it. The upper portion of the receiver then had to be re-attached. By contrast I can change a magazine in a normal AR15 in a matter of seconds.